

Send to:
 postmottak@caa.no
or
 CAA Norway
 PO Box 243
 N-8001 BODØ
 NORWAY

Application for Light UAS Operator Certificate (LUC)

Data protection		
<p>Personal data included in this application is processed by the Civil Aviation Authority of Norway pursuant to Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data, and repealing Directive 95/46/EC (General Data Protection Regulation). It will be processed for the purposes of the performance, management and follow-up of the application by the Civil Aviation Authority of Norway in accordance with Article 5 and UAS.LUC.050 of Regulation (EU) 2019/947.</p> <p>The Civil Aviation Authority – Norway (CAA-N) is responsible for the processing of your application. Questions on the application may be sent to postmottak@caa.no. If you require further information concerning the processing of your personal data or exercising your rights (e.g. to access or rectify any inaccurate or incomplete data), please contact our data regulation officer at e-mail: personvernombud@caa.no. You have the right to make a complaint regarding the processing of the personal data at any time to the national Data Protection Supervisor Authority.</p> <p>All written inquiries to CAA-N are subject to the Archive Act and the Freedom of Information Act. The public's right to access information does not apply to personal data which is subject to confidentiality.</p>		
Application		
<input type="checkbox"/> New application <input type="checkbox"/> Amendment of LUC _____		
1. UAS operator data		
Organisation number (as on brreg.no)	Company name	
Postal address		
Postal code	City	Telephone
Website		E-mail

UAS operator registration number (as on flydrone.no)		Operational authorisation in 'specific' category? <input type="checkbox"/> yes <input type="checkbox"/> no
Previously RPAS-operator? <input type="checkbox"/> RO1 <input type="checkbox"/> RO2 <input type="checkbox"/> RO3		If yes , previous RPAS operator number:
Accountable manager		
National ID number	Telephone	E-mail
Operations manager		
National ID number	Telephone	E-mail
Maintenance manager		
National ID number	Telephone	E-mail
Training manager		
National ID number	Telephone	E-mail
Safety / security manager		
National ID number	Telephone	E-mail
Person responsible for authorising operations with UAS (within the limits of the LUC)		
National ID number	Telephone	E-mail
Other management (optional)		Position
National ID number	Telephone	E-mail
Other management (optional)		Position
National ID number	Telephone	E-mail
Other management (optional)		Position
National ID number	Telephone	E-mail

2. Privileges applied for	
Privilege / Operation type 1¹	
Type of operation – title / short description	
Suggested specifications and limitations for authorising own operations within the LUC	
<input type="checkbox"/> VLOS <input type="checkbox"/> BVLOS SAIL-value Flight altitude <input type="checkbox"/> Below 500 ft / 150 m <input type="checkbox"/> Above 500 ft / 150 m	<input type="checkbox"/> Based on STS? If yes, which one: _____ <input type="checkbox"/> Based on PDRA? If yes, which one: _____ <input type="checkbox"/> Based on previously performed operations? (Examples of SORAs must be attached.)
Other specifications regarding area, airspace, range, etc. (short summary – detailed description shall be attached)	
Other limitations, e.g. restriction of the ground area / GRC, the UAS performance and equipment, data link and communications, external systems and loads, etc.	
Remarks on remote pilot's competency	
Other comments	

¹ Operation types here are to be interpreted in a broader sense than in an operational authorisation in 'specific' category. They must be based on an STS, a PDRA or on operations successfully performed previously under a 'specific' operational authorisation or as RPAS operator. Examples of corresponding SORAs shall be attached.

Privilege / Operation type 2	
Type of operation – title / short description	
Suggested specifications and limitations for authorising own operations within the LUC	
<input type="checkbox"/> VLOS <input type="checkbox"/> BVLOS SAIL-value Flight altitude <input type="checkbox"/> Below 500 ft / 150 m <input type="checkbox"/> Above 500 ft / 150 m	<input type="checkbox"/> Based on STS? If yes, which one: _____ <input type="checkbox"/> Based on PDRA? If yes, which one: _____ <input type="checkbox"/> Based on previously performed operations? (Examples of SORAs must be attached.)
Other specifications regarding area, airspace, range, etc. (short summary – detailed description shall be attached)	
Other limitations, e.g. restriction of the ground area / GRC, the UAS performance and equipment, data link and communications, external systems and loads, etc.	
Remarks on remote pilot's competency	
Other comments	

More privileges can be attached.

3. Attached SORAs ²			
SORA 1			
ConOps – Title / short description			SAIL-value
A detailed description of the ConOps must be attached.			
<input type="checkbox"/> VLOS <input type="checkbox"/> BVLOS	Based on: <input type="checkbox"/> PDRA <input type="checkbox"/> STS <input type="checkbox"/> modified STS <input type="checkbox"/> previous experience		
Type of area <input type="checkbox"/> Controlled ground area <input type="checkbox"/> Sparsely populated environment <input type="checkbox"/> Populated environment <input type="checkbox"/> Assembly of people	More detailed description (optional)	Intrinsic GRC	Final GRC
Type of airspace		Initial ARC	Residual ARC
UAS used for this operation	Characteristic dimension / typical kinetic energy <input type="checkbox"/> 1 m / 700 J <input type="checkbox"/> 3 m / 34 kJ <input type="checkbox"/> 8 m / 1084 kJ <input type="checkbox"/> > 8 m / > 1084 kJ		
Comments (optional)			
SORA 2			
ConOps – Title / short description			SAIL-value
A detailed description of the ConOps must be attached.			
<input type="checkbox"/> VLOS <input type="checkbox"/> BVLOS	Based on: <input type="checkbox"/> PDRA <input type="checkbox"/> STS <input type="checkbox"/> modified STS <input type="checkbox"/> previous experience		
Type of area <input type="checkbox"/> Controlled ground area <input type="checkbox"/> Sparsely populated environment <input type="checkbox"/> Populated environment <input type="checkbox"/> Assembly of people	More detailed description (optional)	Intrinsic GRC	Final GRC

² SORAs submitted with this application should describe operation types that the operator has performed previously. These should provide a basis for the privileges the operator is applying for.

Type of airspace		Initial ARC	Residual ARC
UAS used for this operation		Characteristic dimension / typical kinetic energy <input type="checkbox"/> 1 m / 700 J <input type="checkbox"/> 3 m / 34 kJ <input type="checkbox"/> 8 m / 1084 kJ <input type="checkbox"/> > 8 m / > 1084 kJ	
Comments (optional)			
SORA 3			
ConOps – Title / short description			SAIL-value
A detailed description of the ConOps must be attached.			
<input type="checkbox"/> VLOS <input type="checkbox"/> BVLOS		Based on: <input type="checkbox"/> PDRA <input type="checkbox"/> STS <input type="checkbox"/> modified STS <input type="checkbox"/> previous experience	
Type of area <input type="checkbox"/> Controlled ground area <input type="checkbox"/> Sparsely populated environment <input type="checkbox"/> Populated environment <input type="checkbox"/> Assembly of people	More detailed description (optional)	Initial GRC	Final GRC
Type of airspace		Intrinsic ARC	Residual ARC
UAS used for this operation		Characteristic dimension / typical kinetic energy <input type="checkbox"/> 1 m / 700 J <input type="checkbox"/> 3 m / 34 kJ <input type="checkbox"/> 8 m / 1084 kJ <input type="checkbox"/> > 8 m / > 1084 kJ	
Comments (optional)			

More SORAs can be attached if needed.

4. Attachments		
Attached documents		Comments (optional)
LUC manual	<input type="checkbox"/> attached	
Operations manual	<input type="checkbox"/> attached	
SMM manual	<input type="checkbox"/> attached as part of the LUC manual <input type="checkbox"/> attached as separate document	
SORA(s)	<input type="checkbox"/> attached as separate document <input type="checkbox"/> attached as part of: _____	
List of UAS	<input type="checkbox"/> attached as separate document <input type="checkbox"/> attached as part of: _____	
Proof of insurance	<input type="checkbox"/> attached <input type="checkbox"/> will be sent later during the application process	

5. Other relevant information	
Do you plan to use any communication system between ground station and aircraft other than direct link?	<input type="checkbox"/> relay <input type="checkbox"/> satellite <input type="checkbox"/> cellular <input type="checkbox"/> other: _____
How many bases is the organisation operating from?	
How many remote pilots are connected to the organisation?	
When do you wish to start operations (provided the application is accepted)?	
Other relevant information (optional)	

6. Declaration	
<p>I, the undersigned, hereby declare that the above stated information is correct. I declare that the UAS operations comply with any applicable national and EU rules related to the operations, in particular:</p> <ul style="list-style-type: none"> - national and EU rules related to privacy, liability, insurance, security and environmental protection; - the applicable requirements of Regulations (EU) 2019/947, (EU) 2020/639 and «forskrift 25. november 2020 nr. 2460 om ubemannet luftfartøy i åpen og spesifikk kategori»; and - the limitations and conditions defined in the authorisation provided by the CAA-N. 	
Signature Accountable Manager	
Name accountable manager	
Place and date (dd.mm.yyyy)	Signature
	Signature accountable manager (Electronic signature is accepted.)
Signature Chief Executive Officer (CEO)	
The application form must also be signed by the CEO if the accountable manager and the CEO are not the same person.	
Name CEO	
Place and date (dd.mm.yyyy)	Signature
	Signature CEO (Electronic signature is accepted.)

Template for list of UAS		
UAS 1		
Manufacturer	Model	
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air / other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension ³
UAS 2		
Manufacturer	Model	
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air / other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension
UAS 3		
Manufacturer	Model	
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air / other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension
UAS 4		
Manufacturer	Model	
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air / other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension

³ For aeroplanes: the length of the wing span; for helicopters: the diameter of the propellers; for multirotors: the maximum distance between the tips of two opposite propellers.
Lufftartilssynet / Civil Aviation Authority - Norway

UAS 5		
Manufacturer	Model	
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air / other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension
UAS 6		
Manufacturer	Model	
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air / other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension
UAS 7		
Manufacturer	Model	
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air / other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension
UAS 8		
Manufacturer	Model	
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air / other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension

More UAS can be attached if needed.